Testing

Testins



CIIC Testin

CIIC

CIIC Testing CIIC Testing CIIC Testing Testing CIIC Testing CT Testing CT Testing CT Testing CIIC Testing CIIC Testing CIIC Testing CIIC Testing Testing C Testing CIIC Testin CIIC Testing CIIC Testing CIIC Testing

E CIIC Testing CIIC OR CIIC Testing CIIC OR CIIC Testing CIIC OR CIIC Testing CIIC OR CIIC Testing CIIC CITC Testing CITC

Report No. : CS230721001SR Drafted by: Erik Checked by: Approved by: Januarian * Approved to the state of	Clienting CII		ing ting
Report No. : CS230721001SR Drafted by: Erik Checked by: Approved by: Jonathan * Approve**		A1506, Niulanqian Building, Minzhi Avenue, Xinniu	estl1
Drafted by	Te5	Ci2023-7-21ins CIIV restins CIIV restins	C Test
Checked by	Report No. Testi	ing colorators (in a stime (in a stime)	IIC T
Approved by: Sonding Service Ser	ting CIIC Te	stine Cir restine Cir Like Cir restine	CIIC
Approved by	resting CIIC	Testing CIIC Testing Sorting S	ng (
	cl	Sanatran *	ting sting
CIIC Testing CIIC	CIIC Testing G CIIC Testing G CIIC Testing Ing CIIC Testing Ing CIIC Testing	es CIIC Testing CI	I Tes



SECTION 1- CHEMICAL PRODUCT INFORMATION

Product details:

Product name	Musical instrument rosin
Model	sting / CIIC Testing CIIC Testing CIIC Testing
Mark CTIC TO	sting CIIC Testing CIIC Testing CIIC Testing
End use	: Violin, Erhu and other stringed instrument accessories
TEL CITO	Test 13531177725 Testing CITC Testing CITC Testi
Fax ng CII	1 0754-88261844 Casting CIIC Testing CIIC Testing
E-mail CT	To Texting CIIC Testing CIIC Testing CIIC Tes

Supplier/Manufacturer

Testins

Supplier/Manu	facturer esting CIIC Testing CIIC Testing CIIC
Manufacturer	: Shantou Leto Musical Instrument Co.,Ltd.
Address	: Room 802, 59th Building , Danyang Garden(East) , Changping
Testine	Road , Shantou , Guangdong , China

Testing

Testing

Testins

Summary:

As specified by the client, This safety data sheet was prepared in accordance with Un GHS Rev.7, The EU CLP REGULATION(EC) No 1272/2008, and US OSH Hazard Communication Standards(29 CFR 1910.1200). Please refer to attached report for Test i details.

Testins

Testing



SECTION 2- HAZARDS IDENTIFICATION GHS classification : Skin sensitizer Category 1 Physical hazards : Not applicable Health hazards : May cause allergic skin reaction. Environmental : Not applicable hazards GHS label elements : Hazard : Not applicable Pictograms	CIIC TO CIIC T
Physical hazards : Not applicable Health hazards : May cause allergic skin reaction. Environmental hazards GHS label elements : Hazard : Not applicable : Not applicable	CIIC TO
Health hazards : May cause allergic skin reaction. Environmental hazards GHS label elements : Hazard : Not applicable : Not applicable	CIIC CIIC
Environmental : Not applicable hazards GHS label elements : Hazard : Not applicable	CIIC
hazards GHS label elements Hazard : Not applicable	. 01-0
ting CIIC Testing Testing CIIC	ig CII
$d_{\alpha}SU^{2}$ U^{2} $m_{\alpha}SU^{2}$ U^{2} $m_{\alpha}SU^{2}$ U^{2} $m_{\alpha}SU^{2}$ $C(L^{2})$	ing CI
Fictorialis to the City stine City	sting
Signal word IC : Warn CIIC Testing CIIC Testing	sting
Hazard statement : H317 May cause allergic skin reaction	restin
Testine CIIC Testine CIIC Testine CIIC	restir
Precautionary statement : —— P261 Avoid breathing dust/fume/gas/mist/vapor/spray —— P272 Contaminated work clothes shall not be taken ou of the workplace. —— P280 Wear protective gloves/protective clothing/protective eye protection/protective mask.	0 10
Prevention ins : Not applicable TIC Testing TIC Testing	TITO
Response : ——P302+P352 If skin contact occurs: Wash thoroughly with water. ——P333+P313 If skin irritation or rash occurs: Get medical attention/attention. ——P321 Specific treatment (see on this label).	us CII
P321 Specific treatment (see on this label). Storage : ——P403+P235 Store in a well-ventilated place. Keep the temperature low. Disposal : ——P501 Dispose of contents/container in accordance with	7770
lesting CIIC Testing CIIC Testi	ing

r Testins	Chemical Name	Testin CAS No. Testi	Content (wt%)	Testing
C Testins	Rosin	8050-09-7	100%5	TIC Testine
TC Testine	g cilc Testing Ci	TIC Testing CIIC Test	ting CIIC Testing	CIIC Testin
IIC Testi	ns CIIC Testing	CIIC Testing CIIC Test	sting CIIC Testing	CIIC Testi
CIIC Test	ins CIIC Testins	CIIC Testing CIIC Tes	sting CIIC resting	CIIL
CIIC Test	ing CIIC resting	CIIC resting CIIC T	esting CIIC Testing	CIIC Tes
CIIC Tes	ting CIIC Testing	CIIC Testine CIIC	Testing CIIC Testin	IB CIIC Te
CIIC	ating cill ating	cill sting cill	cting cliv acti	TIP CIIO



SECTION 4- FIRST AID MEASURES

Testing off	Testing CIIC Testing CIIC	Testing CIIC Testing CIIC T	esting CIIC
Testing CIL	中检联标检测	Testing CIIC Testing CIIC	Testing CIIC
Testing CIT	中检联标检测 China Lnspection Joint Standard Shenzhen	CIIC Testing Technical Service Co., Ltd. NO.:CS23072100	Testing CIIC
C Testing CI	IC Testins CIIC Testins CI	10 Testing CIIC Testing CII	resuing CII
IC Testing C	IIC lesting CIIC lesting C	IIC Testing CIIC Testing CII	ic Testins CI
IIC Testing	ciic le ting ciic le ting	CIIC Testing CIIC Testing CI	IC Testing C
UI Tasu	SECTION 4- FIRST AID MEASURES 18	CIIC Testing CIIC Testing C	IIC resting
CIIC Testing E	Eye contact: ting CIIC Testing	Immediately flush eyes with water for at	CIIC resting
CIIC Testing	CIIC Testing CIIC Testing	least 15 minutes. Remove contact lenses	CIIC resting
CIIC Testing	CIIC Testing CIIC Testing	if easy to do. Seek medical attention if any	CIIC Testing
CIIC Testin	8 CIIC Testing CIIC Testin	symptoms persist.	CIIC Testins
CIIC Test	Skin contact: Testille Clip Testil	Wash exposed areas promptly with water	CIIC Testing
ng Cliv Testi	ing CIIC Testing CIIC Testi	and mild soap.Remove contaminated	CIIC Testi
ing Clic Test	ring city Testing Clic Test	clothing immediately and launder before	ng Clic Testi
ring Clic Tes	ting CIIC Testing CIIC Tes	reuse. Seek medical advice or attention if	ing CIIC Test
ting CIIC Te	ting CIIC Testing CIIC Tes	irritation occurs.	ting Clic Tes
sting CIIC I	nhalation: TIC Testing CIIC T	Move to fresh air. Keep at rest and in a	ting CIIC Tes
esting CIIC T	lesting CIIC lesting CIIC	position comfortable for breathing. If you	sting CIIC Te
resting CIIC	resting CIIC resting CIIC	feel unwell, seek medical advice.	sting CIIC T
resting CIIG	ngestion: CIIC Testing CIIC	Do not induce vomiting. Wash out mouth	resting CIIC
resting CII	C Testing CIIC Testing CII	with water. If vomiting occurs naturally,	resting CIIC
resting (I	IC resting CIIC resting CI	have victim lean forward to reduce the risk	resting CIIC
Testing CT	IIC Testing CIIC Testing CI	of aspiration. Seek immediate medical	Testing CII
IC Testing C	CILC Testing CIIC Testing C	advice or attention.	Testing CI
TIV Testing	CIIC Testine Clic Testine	TIC Testing Cliv Testing Ci	Testing C
CIIC Testing	CILC Testing CITC Testing	Cliv Testing Cliv Testing	Testing (
CIIC Testing	CIIC Testing CIIC Testing	CIIC Testing CIIC Testing	Testing Control

CIIC Testing

C Testins	CILC Testing CIIC Testing CI	have victim lean forward to reduce the risk
.U seting	cill resting cill resting c	of aspiration. Seek immediate medical
IC Testing	CIIC Testing CIIC Testing	ladvice or attention.
IIC resting	Clic Testine Clic Testine	CITC Testing CITC Testing CITC Testing
CIIC restins	CIIC Testing CIIC Testing	CIIC Testing CIIC Testing CIIC Testing
CIIC Testin	g CIIC Testing CIIC Testing	Cli resting Cli resting
CIIC Testin	ns CIIC Testing CIIC Testing	Cli mastir Cli mastir Cli mastir
CIIC Testi	ing CIIC Testing CIIC Testing	clio actino clio actino cilo atino
CIIC Test	SECTION 5- FIGHTING MEASURES	ng CIIC Testing CIIC Testing CIIC Testing
G CIIC Tes	Flash Point:	Cli resti
TO CITC TO	S - nd LIC TOSU ING LIC TOSU	Not Applicable CIIC Testing CIIC Testi
THE CITY	Extinguishing Media:	Use water, water fog or foam, carbon
1118 CIIO	istine Cliv Testine Cliv Tes	dioxide or dry chemical to extinguish fires
sting CIIC	Special Information:	As in any fire, wear a self-contained
sting Clic	Testing CIIC Testing CIIC Testing CIIC Testing	breathing apparatus in pressure-demand,
esting Clic	C Testing CIIC Testing CIIC	MSHA/NIOSH (approved or equivalent),
esting CII	Testing CIIC Testing CIIC	
Testing CI	TO Testing CITC Testing CITC	concentrations can form explosive
Testing C	TIC Testing CIIC Testing CII	mixtures with air. Combustion generates
Testing	dic Testing CIIC Testing CI	toxic fumes CIIC Testing CIIC Testing CII
ic Testing	Unusual Hazards:	None ting CIC Testing CIT Testing CI
IC Testing	CIIC Testing CIIC Testing	CIIC Testing CIIC Testing CIIC Testing C
IIC Testing	CIIC Testing CIIC Testing	cill sting cill sting cill sting
CIIC Testing	CIIC Testing CIIC Testing	CIIC Testing CIIC Testing CIIC Testing
CIIC Testin	e CIIC Testing CIIC Testing	CITO resting CITO resting
CIIC Testi	ns CIIC lestins CIIC lestins	CITO resting CITO resting CITO resting
CIIC Tosti	ing CIIC resting CIIC resting	g CIIC Testing CIIC Testing CIIC Testing
S CTIC TO T	ing cilc ting cilc tir	is CIIC tins CIIC testing CIIC testing



SECTION 6- ACCIDENTAL RELEASE MEASURES

resting C	Test is silenzier	Telic Testing Technical Service Co., Ltd. No.:CS2507210015R
Cresting	CIIC Testine CIIC Testine CI	To Testing CIIC Testing CIIC Testing CII
IC Testing	SECTION 6- ACCIDENTAL RELEASE ME	tion stine city astine city astine ci
TIC Testing	Personal Precautions:	Climating Climating
CIIC Testing	1 U1	10- , 700 111- 4000 111- 4000
CIIC Testing	CIIC Testing CIIC Testing	
CIIC Testin	Accidental Release Measures:	personal protection gear. When the package is damaged and damp, the
CIIC Testi	ns CIIC Testing CIIC Testin	product is forbidden to use. Any product
g CIIC Test	ing CIIC resting CIIC resting	recovery or disposal must comply with local,
IS CIIU TOS	ting CIIC Testing CIIC Testi	state, federal, international or country specific
ns CIIC Te	sting CIIC Testing CIIC Test	regulations. Testing CIIC Testing CIIC Testi
ing CIIC T	esting Cliv Testing Cliv Tes	time Clib restine Clib restine Clib rest
ting Clic	Testing CIIC Testi	
sting CIIC	Testing CIIC Testing CIIC To	esting CIIC Testing CIIC Testin
esting CIIC	Testing CIIC Testing CIIC T	Testing CIIC Testing CIIC Testing CIIC Te
resting CII	Clic Testing CIIC	Testing CIIC Testing CIIC Testing CIIC T
resting CI	SECTION 7- HANDING AND STORAGE	restine Cill restine Cill restine Cill
Testing CT	HANDING TESTINE CIT	Flame retardant moisture-proof,
C Testing	IIU resting CIIU resting CI	explosion-proof & non-polluting.

Testing CIIC Testing CIIC Testing CIIC Testing CIIC Testing CIIC Testing SECTION 7- HANDING AND STORAGE

Test Test Test Test Test Test Test Test
GEIC resting CIIC resting CIIC resting CIIC
Flame retardant moisture-proof,
explosion-proof & non-polluting.
Store in General Storage Area [Green (1)
Storage] with other items with nospecific
storage hazards. Store in a cool, dry, well-
ventilated, locked store room away from
incompatible materials.
cing city Testing CITY Testing
sting all Testing all Testing Cliv Testing
sting all Testing all Testing Cliv Testing
esting CIIC Testing CIIC Testing CIIC Testing
S/PERSONAL PROTECTION CITC Testing CITC Testi

CIIC Testing CIIC Testing B CIIC Testing CII esting CIIC Testing Sting CIIC Testing SECTION 8- EXPOSURE CONTROLS / PERSONAL PROTECTION

SECTION 8- EXPOSURE CONTROLS	
Engineering Controls: ins CIIC esting CIIC Testing CIIC Testing CIIC	Use appropriate ventilation to maintain airborne concentration limits below exposure limits.
Personal Protection:	C Testing CITC Testing CITC Test
Eye and Face Protection:	Wear eye/face protection.
Skin Protection: Testing CIIC Testing CIIC Testing CIIC Testing	Personal protective equipment includes: appropriate protective gloves, safety goggles, and protective clothing
Respiratory Protection: CIIC Testing CIIC Testing CIIC Testing	Use a properly fitted NIOSH respirator in areas where the exposure is unknown or above the OSHA PEL or ACGIH TLV.
Exposure Limits:	Not Applicable CIII Testine CI
g CIIC Testing CII	ing CIIC Testing Citing CIIC Testing Citing CIIC Testing Citing CIIC Testing Citing CIIC Testing



CIIC Testing

Appearance: ins city	Lumpy solid sting CIC Testing CIC Testing
Color: Testing CIIC Testing	Amber Testing CIIC Testing TIC Testing
Odori Testing CIIC Testi	Slightly rosy cesting CIIC Testing CIIC Testing
Density: Testing Clic Test	Not available resting CIIC resting CIIC resti
Boiling Point:	Not available. Testing CIIC Testing
Melting Point: 1es	Not available: Testing Clic Testing
Flashpoint: C Testing CIIC Te	Not available.
Vapour pressure:	Not available. 10 Tasking CIIC Testing OIIC Testing
Solubility in water:	Not available. The country of the co
Partition coefficient (n-octanol / water):	Not available CIIC Testing CIIC Testing CIIC Testing CIIC
Viscosity:	Not available. Clic Testing CIIC Testing CIIC
PH Value:	Not available.
Permission of solvent inhalation:	available. ing CIIC Testing Clic Testing
Solubility: ng CIIC Testing	Not available 8 CITC Testing CITC Testing
Ignition temperature:	Not available.ne CIIC restine CIIC restine
CIIC Testing	CIIC Testing CIIC Testing CIIC Testing G CIIC Testing CIIC Testing CIIC Testing G CIIC Testing CIIC Testing CIIC Testing ING CIIC Testing CIIC Testing CIIC Testing Ling CIIC Testing CIIC Testing CIIC Testing CIIC Testing CIIC Testing

CIIC Testing CIIC Testing CIIC Testing CIIC Testing CIIC Testing CIIC Testing CIIC Testing

Not available.
CIIC Testing CIIC Testing CIIC Testing CIIC
ng CIIC Testing CIIC Testing CIIC
ing cill seting cill seting cill
The CITO westing City westing City
ting city a sting city assting ci
stills city a stills city a stills of
ctime (liv actime (liv actime)
CTIVITY: CIIC Testing CIIC Testing
active city active city
The product is stable when stored and used at
normal ambient temperature
Incompatible materials, moisture, excessive
ic heat ting CIIC resting CIIC resting
exposure to high temperatures of more than
85 ° C (can lead to leakage and bursting),
direct sunlight, high humidity
Che stine City stine City
The seting CIIC resting CIIC no.
City action City action City
I Has House content to the same and the same
g CIIC Testing CIIC Testing CIIC T
g CIIC Testing CIIC Testing CIIC Testing CIIC
B CIIC Testing CIIC
g CIIC Testing CIIC Testing CIIC T



sting CI	中检联标检测 China Lnspection Joint Standard Sh	henzhen CIIC Testing Technical Service Co., Ltd. NO.:CS230721001SR
stills C	Testing CIIC Testing	CIIC Testing CIIC Testing CIIC Testing
esting Testing	SECTION 11- TOXICOLOGICAL INFO	
acting	Toxicity to Animals:	LD50: Not available.
Testing	CIIC Testing CIIC Testi	LC30. Not available.
restins	Chronic effects in CIII Test	I No known significant effects of childar hazards.
	Target organs still Clib	No known significant effects or critical hazards. I
TIC Testi	Special Remarks on Toxicity to Animals:	Not available. Testing CIIC Tes
CITO	Special Remarks on Chronic Effects on Humans:	Not available ects. Testing CIIC Testing CII
CII	esting CIIC Testing	Testing CIIC Testi

ns cilc Testing cilc Testing	g CIIC Testing CII
The CITE west Ind CITE west In	Cli masting Cli masting Cliv masting Cliv
ing CIIC Testing CIIC Testing	Cli mastri Cli mastri Cli mastri
ing CIIC Testing CIIC Testi	Cli masting Cli masting Clin acting Clin
ting CIIC Testing CIIC Test	ting CIIC Testing CIIC Testing CIIC Testing CIIC Testing CIIC
sting CIIC Testing CIIC Tes	sting CIIC Testing
. 20	sting CIIC Testing CIIC Testing CIIC Testing CIIC Testing CIIC
	LINFORMATION Testing CITC Testing CITC Testing CI
Ecotoxicity: BOD5 and COD:	No information available.
BOD5 and COD: Products of Biodegradation	No information available.
Products of Biodegradatio	No information available. No information available.
Toxicity of the Products of	Testing CIIC Testing CIIC Testing CIIC Testing
Biodegradation:	10 acting CIIO acting CIIO acting CIIO ating
Special Remarks on the Pr	oddets sino information available.
of Biodegradation:	CIL Testino CIIO Testino CIIO Testino
Testing CIIC Testing	CITO resting CITO resting CITO resting CITO resti
IC Testing CIIC Testing	Cli nacting City nacting City nacting City
The setting Cliv setting	Clio nestino Clio nestino Clio nestino Clio
Cliv a ctime Cliv a ctime	CILO TOSTING CITO TOSTING CITO
Cliv actino Cliv actino	city posting city posting city posting city
CIIO actino CIIO actin	of the setting the setting the setting the
	The city time city restine city restine city
SECTION 13- DISPOSAL C	CILO CILO CILO CILO CILO
Waste Disposal:	Disposal should be in accordance with

sting CIIC Testing CIIC Testing esting CIIC Testing CIIC Testing CIIC Testing

Testi City Lesting City Lesting	Test Test Test Test Test Test
sting CIIC Testing CIIC Testing CIIC	C Testing CIIC Tes
ting cill ting cill ting cil	10 1 ting cittle ting cittle ting cittle
SECTION 13- DISPOSAL CONSIDER	RATIONS ting CIIC Testing CIIC Testing CIIC Testing CIIC Testing
+ 1116 (1) Waste Disposal. 10 + 1116 (Disposal should be in accordance with
-+1110 CILO -+1110 CILO -+1110	applicable regional, national and local laws and
ting office ting office ting	I regulations. Do not discharge into sewer
of tine of the stine of the stine	system.
IC tine CIIC tetine CIIC tetine	CILO actino Cilo actino Cilo actino Cil
ill the cill the cill the cill the	o cill thing cill thing cill thing of
IIC resting CIIC resting CIIC restin	g CIIC Testing CIIC Testing CIIC Testing
ctIO the ting ctIO that ing ctIO that it	ne cito thing cito thing cito thing
cotto tains cotto tating cotto tati	ing cill taking cill taking cill taking
ctlo tains ctlo tains ctlo ta	ing cill ting cill ting cill ting
citto thing citto thing citto	sting CIIC Testing CIIC Testing CIIC Testing Sting CIIC Testing CIIC Testing
o cill sting cill sting cill	sting CIIC Testing CIIC Testing CIIC Testing esting CIIC Testing
is cill thing cill thing cill	esting CIIC Testing CIIC Testing CIIC Testing CIIC Testing CIIC Testing CIIC Testing
ng CIIC Testing CIIC Testing CIIC To Testing CIIC Testing	resting CIIC Testing CIIC Testi
ing CIIC resting CIIC resting CIIC	
A1506, Niulanqian Building, Minzhi Avenue, Xi	inniu Community, Minzhi Street, Longhua District, Shenzhen
TEL:400-8080-621 Web:www.ciic-cert.c	om Email:ciic@ciic-cert.com Page 7 / 9
sting CIIC Testing CIIC Testing CII	om Email:ciic@ciic-cert.com Page 7/9



SECTION 14- TRANSPORT INFORMATION

This product applied to by sea, by air and by land

DOT Classification:	Not applicable sting
JATA: Testing CIN Test	Not regulated as dangerous goods.
UN-Unmberses Tes	No information available.
UN Proper shipping name	No information available.
Identification:	No information available.
Special Provisions for Transport:	No information available.

SECTION 15- REGULATORY INFORMATION

Law Information

《Dangerous Goods Regulation》

《Recommendations on the Transport of Dangerous Goods Model Regulations》

《International Maritime Dangerous Goods 》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《Classification and code of dangerous goods》

《Occupational Safety and Health Act》(OSHA)

《Toxic Substances Control Act》(TSCA)

《Consumer Product Safety Act》(CPSA)

《Federal Environmental Pollution Control Act》(FEPCA)

《The Oil Pollution Act》(OPA)

《Superfund Amendments and Reauthorization Act Title III (302/311/312/313) 》

《Resource Conservation and Recovery Act》(RCRA)

《Safety Drinking Water Act》(CWA)

《California Proposition 65 》

《Code of Federal Regulations 》(CFR)

In accordance with all Federal, State and Local laws.



SECTION 16- OTHER INFORMATION

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond out control and may be our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product, If the product is used as a component in another product, this MSDS information may not be Applicable.

***** THE END ****